

# 2 BASIC MODULE OF COMPUTERIZED MAINTENANCE MANAGEMENT SYSTEMS

#### **II.1 INTRODUCTION**

**CMMS** stands for Computerized Maintenance Management Systems. This is specialized software for managing a technical service. CMMS can be defined as a software package which provides decision support in a company to control the costs of the installations to be maintained, Optimize the technical and human resources of maintenance as well as obtain precise measurements on the times of breakdowns, their root causes and the time required for their repair. Management of Assisted Maintenance by Computer consists of a database (history) which is populated by maintenance personnel via a form. The basis of the history is the equipment inventory. Having a Maintenance Management tool is essential today from a technical, budgetary and organizational point of view to optimize the productivity of company investments but also to guarantee availability at the lowest cost of the resource chain. production and logistics. The market for maintenance management software packages is a mature market which offers solutions capitalizing on strong know-how. [10]





Computerized Maintenance Management Systems

The CMMS is part of the information, management and control system of the maintenance function whose mission is to keep the installations in a state such that they can constantly meet the specifications for which they were designed and this in an efficient and economical way. The IT management tool is then an aid for tracing, archiving, analyzing and making decisions. [8]

# **II.2 EVOLUTION OF INDUSTRIAL COMPUTER**


Industrial computing covers all design, analysis and programming techniques for systems based on interfacing of computing with electronics, electrotechnics, mechanics, robotics, etc., for industrial purposes. The term "industrial computing" designates the branch of computing bringing together all the techniques for design, analysis and programming of industrial computer systems. Constituting a very vast field, it finds multiple applications in industry. But what are the sectors and careers in industrial IT?

At a time when robots are increasingly working on assembly lines in factories, computer science that industrial has more than ever its place in the field, whether through:

• CAMF, Computer-assisted manufacturing, which allows you to program and control production tools

• CAPM, or computer-aided production management, which provides monitoring of the complete production cycle from the purchase of raw materials to the delivery of the finished product

• CAM, computer-assisted maintenance



It is therefore thanks to industrial computing that we program the automation stations assigned to production, but also that we detect their breakdowns and plan their maintenance. Very often, it is even the production line, or even the entire factory, which is controlled by the IT tool, whether it is a single central computer or a network of computers linked together.

**Industry 1.0.** The late 18th century introduced mechanical production facilities to the World. Water and steam powered machines were developed to help workers in the mass production of goods. The first weaving loom was introduced in 1784. With the increase in production efficiency and scale, small businesses grew from serving a limited number of customers to large organizations with owners, manager and employees serving a larger number. Industry 1.0 can also be deemed as the beginning of the industry culture which focused equally on quality, efficiency and scale.

**Industry 2.0.** The beginning of 20th century marked the start of the second industrial revolution – Industry 2.0. The main contributor to this revolution was the development of machines running on electrical energy. Electrical energy was already being used as a primary source of power. Electrical ma- chines were more efficient to operate and maintain, both in terms of cost and effort unlike the water and steam based machines which were comparatively inefficient and resource hungry. The first assembly line was also built during this era, further streamlining the process of mass production. Mass production of goods using assembly line became a standard practice.

**Industry 3.0.** The next industrial revolution resulting in Industry 3.0 was brought about and spurred by the advances in the electronics industry in the last few decades of the 20th century. The invention and manufacturing of a variety electronic devices including transistor and integrated circuits automated the machines substantially which resulted in reduced effort, increased speed, greater accuracy and even complete replacement of the human agent in some cases. The integration of electronics hardware into the manufacturing systems also created a requirement of software systems to enable these electronic devices, consequentially fueling the software development market as well. Apart from controlling the hardware, the software systems also enabled many management processes such as enterprise resource planning, inventory management, shipping logistics, product flow scheduling and tracking throughout the factory. The dispersion of geographical location of manufacturing led to the formation of the concept of Supply Chain Management. **Industry 4.0.** It refers to the concept of factories in which machines are augmented with wireless connectivity and sensors, connected to a system that can visualize the entire production line and make decisions on its own. In essence, industry 4.0 describes the trend towards automation and data exchange in manufacturing technologies and processes which include cyber-physical systems (CPS), the internet of things (IoT), industrial internet of things (IIOT), cloud computing cognitive computing and artificial intelligence.

It is also industrial computing that makes it possible to carry out computer-aided design (CAD) and computer-aided drawing (CAD). Geometric modeling software and techniques help develop products and the tools to make them, then test them virtually.

These technologies are used in many areas, notably in:

• Mechanical, including precision mechanics, to model numerous constraints linked, among other things, to the different materials used. Modern software makes it possible to design objects in three dimensions, virtually bend materials, drill parts or even make adjustments.

• Electronic, to design electronic circuits and microprocessors. The software suite allows for circuit schematic capture, simulation, component placement and routing. CAD is particularly useful in the case of printed circuits, especially when tracing tracks must be carried out on several layers.

• Electrical engineering, to develop electrical wiring plans for energy distribution, industry, automobiles and aeronautics. The IT tool makes it possible to manage the project as a whole, both the plans and the links between components, terminal blocks or wiring harnesses. Electronics software offers two types of design: symbolic mode, and more recently, object mode. This technique makes it possible to carry out modifications to devices and cables as well as updates to the project in real time, without worrying about having to regenerate, for example parts lists or terminal blocks.

• Architecture, particularly in the context of large projects. Presentations of files to decision-makers are often done using 3D drawings [11].


• Town planning and urban planning, in order to design buildings and entire neighborhoods using three-dimensional modeling. 3D software also makes it possible to integrate elements from heterogeneous sources such as highway companies, local authorities or public works companies.

• **Medicine**. In the medical sector, industrial computing finds applications both in the design of orthopedic equipment and in the molecular field, thanks to molecular CAD which makes it possible to digitize existing molecules but also to design new ones.

Industrial computing is nowadays commonly used in many fields. Closely linked to the future of the industry, this is a sector in constant expansion which recruits regularly: a promising branch where the positions to be filled and the remuneration offered are often among the most interesting on the job market in computer science

# **II.3 OBJECTIVES AND INTEREST OF CMMS**

The objective of CMMS is to determine the initial causes of previously identified problems and, preventively, to find those that have not yet occurred, by evaluating their criticality. The essential objectives of CMMS are:



# **OBJECTIVES OF RELIABILITY-BASED MAINTENANCE**

Figure II.2 CMMS objectives

### **II.4 BASIC CLASS AND STRUCTURE OF CMMS**

The computerization of maintenance came late to the company. It is one of the last blocks to be computerized after accounting, production, purchasing, personnel management... Companies start with the development of maintenance functionalists who have a direct impact on the equipment such as the plan lubrication, purchasing and inventory management of spare parts [12]. At the same time as maintenance was recognized as a fundamental function in companies, they developed this procedure and computerized it, which led to the computerization of equipment files and to integrate all these automation islands, many software packages appeared on the market, offering to cover the functionalities that maintenance wanted to have. This is the birth of CMMS. We distinguish three classes of CMMS software packages:

• class I: products generally built around an ACCESS database. These are entry-level products aimed at SMEs that have a limited budget or need.

• class II: dedicated client/server products based on Oracle, MySQL database, etc. Offering greater stability and possibility, particularly in terms of indicators.

• class III: maintenance management module in a global industrial management software ERP (Enterprise Resource Planning) in French integrated management package.




Figure II.3 Structures of a database management system

The typical architecture of a CMMS software package is based on a DBMS (Database Management System), which ensures the exchange and processing of data between the different modules of a CMMS. Currently, the relational type DBMS that we find on the CMMS market are mainly: ORACLE; MySQL; INGRES; INFORMIX; ORACLE.

# **II.5 GENERAL CHARACTERISTIC OF CMMS**

Here is a table showing the benefits after implementing a CMMS according to a survey conducted by the French association of mechanical industries AFIM (the sum of the responses does not reach 100% because some companies did not respond to all the questions).

Benefits obtained with CMMS	Very Significant in %	Significant in %	None in %	no response in %
Labor reduction	9.2	37.5	31	11.5
Reduction in material costs	11.5	43.7	20.7	13.8
Increased availability	21.8	33.3	25.3	9.2
Increased reliability	21.8	35.6	24.1	8
Improved cost control	44.8	26.4	16.1	2.3
Improved feedback	46.6	18.4	23	2.3
Improved planning	32.2	36.8	18.4	2.3
Improvement of effective maintenance times	37.9	32.2	16.1	2.3
Improved spare parts management	24.1	37.9	23	4.6

CMMS software allows you to build a database in which you will find:


- Store items and suppliers,
- Managing the entry and exit of items and purchases,
- Asset management (equipment and subassemblies),
- Management of corrective and preventive interventions,
- Management of intervention requests,
- Financial analyzes and monitoring of maintenance indicators,
- Managing customer contacts and invoicing

The growing concern to gain efficiency, speed and technicality means that computerassisted maintenance is becoming increasingly widespread [13]. Many software programs have been developed and are in production. To better choose, it is necessary to classify this software. The following sectors can be proposed as categories:

- **CMMS industry:** computer-assisted maintenance management on the industrial side; (Technical reports, warehousing, machine data sheet, project monitoring, PERT, planning);
- **4 CMMS tertiary part:** building management (planning, accounting aspect);
- **CMMS after-sales service**: customer monitoring, analysis of customer returns

The software must be simple, user-friendly, and must correspond to the operating logic of the maintenance department. The CMMS software must be able to operate over a network (Windows 7 or more, Mac, etc.) so that it can evolve with the needs of the service.

To achieve the success of the project, the implementation of a CMMS necessarily first requires a detailed and in-depth analysis of needs, a precise definition of objectives, careful preparation of the stakeholders and the support of all. Indeed, such an approach must be done under the leadership of management and the participation of the company's staff. These prerequisites will allow, on the one hand, to make a relevant choice among market proposals and, on the other hand, to think about the most intelligent and efficient organizations. The decision to invest in a CMMS tool calls into question the habits acquired by the company's various departments which, for historical reasons, use different coding systems for the same equipment depending on their own specific area (purchasing, methods, new works, maintenance, management). The evolution of the CMMS offers and the market is moving towards the use of nomadic technologies, which will lead to a new questioning of habits that have been adopted since the first installation. [11]



The Internet is generally the solution for mobile technicians. It is also today the solution for setting up low investment solutions, it is thus possible to just pay for the hours of use. Training must be planned to quickly learn the software commands and the implementation methodology in the maintenance department. An annual maintenance contract which entitles you to telephone assistance and changes to the software must be subscribed to different maintenance management software packages coexist, notably DATASTREAM and MAXIMO from Microsoft.

#### **II.6 COMPUTERIZATION OF MAINTENANCE**

"CMMS software manages a database containing information relating to a company's maintenance operations. This information is intended to help maintenance personnel perform their jobs more efficiently." [12]. "Computer-assisted maintenance management (CMMS) is a tool to support short, medium and long-term decisions allowing optimal operational safety of equipment at the best overall cost." [13] "CMMS software manages a database containing information relating to a company's maintenance operations. This information is intended to help maintenance personnel perform their jobs more efficiently." [14] "Computer-assisted maintenance management (CMMS) is a tool to support short, medium and long-term their jobs more efficiently." [14] "Computer-assisted maintenance management (CMMS) is a tool to support short, medium and long-term decisions allowing optimal operational safety of equipment at the best overall cost". [15]

**II.6.1 The contribution of CMMS:** The CMMS will have to bring in money in productivity of the function, in staff efficiency, in availability of production tools, in extending the life of the machines. The goal is to involve the maintenance function in the company's performance objectives: cost reduction and improvement in the service rate directly contribute to improving productivity and increasing the competitiveness of the company.

**II. 6.2 Information for decision-making:** The CMMS system is intended to provide a service to the maintenance manager and maintenance technicians with the essential aim of improving decision-making. Users expect CMMS to help them in technical decision-making processes. Should we replace this machine or can we still expect many years of operation after repair? We aim to gather all the necessary information on the equipment in order to know it well, deduce adequate maintenance and no longer suffer from breakdowns. The professional can only decide if the machine history is up to date, if he has good MTTR and MTBF performance indicators, and if he knows the various costs generated by the various options he is considering. He will be even

more likely to use CMMS if the documentation and information delivered are of high quality and easy to access.

This does not only concern maintenance: the CMMS database will also provide a service to other functions of the company: directly to manufacturing, quality and safety, indirectly to management, control management, accounting...

**II.6.3 Opening up of the maintenance function:** The rapprochement with production and the establishment of simplified and more direct links with other services lead to the opening up of the maintenance function. We quickly observe an increase in the flow and exchange of information between all users of the maintenance department and other departments.

**II.6.4 Control of the function:** The CMMS should provide added value to the management of the maintenance department:

- Monitored budgets;
- Known detailed maintenance costs;
- Indicators and management tools;
- Immediate knowledge and more effective management of the activity;
- The elimination of administrative tasks;
- Better allocation of maintenance teams.

#### **II. 6.5 Maintenance processes**

By automating maintenance processes, CMMS reduces the administrative burden and improves the quality and speed of information processing. The system will act on the efficiency of maintenance: reduction in waiting times and wasted time, increase in the availability rate of production tools, reduction in spare parts in stock. The correct spare part is immediately identified by the nomenclature, the stock file consulted provides information on availability and allows reservations to be made. The same applies to special tools. Interventions are better prepared, more precise with the provision of the right information reported on the work order, safety instructions and rapid access to documents. Diagnostic tools and the capitalization of the experience inherent in CMMS lead to a reduction in downtime due to breakdowns, which corroborates the increase in equipment availability as a result of better prevention.

The CMMS has every interest in campaigning for a reduction in complex document circuits. Spare parts inventory management reports substantial savings:



Figure II.4 CMMS process

When it is effective (reduction and better control of maintenance costs, and ultimately reduction in staffing requirements), CMMS contributes to a reduction in the cost price of products.

#### **II. 6.6 Staff motivation**

The CMMS should also, and this is not the least expected objective, improve "the morale of the troops". The penetration of new technologies and the use of a powerful IT tool are mobilizing elements, factors for revitalizing the service. Less time wasted, less hesitation, less back and forth, less paperwork, faster and more efficient responses to work requests, give staff a better image of their own efficiency [16].

In general, the maintenance agent must constantly adapt to changes in equipment and technologies among the machines he handles. CMMS is the complementary vector of raising the cultural level and qualifications. New behaviors oriented towards rigor and precision will gradually emerge among users whose CMMS will increase their autonomy and self-responsibility. Making the company's objectives visible in the maintenance department, raising awareness for example of the costs of breakdowns, this is what to expect from CMMS.

CMMS also allows you to stand out from the competition and improve the company's brand image.

#### II. 6.7 Replace existing maintenance management tools

Before even talking about computerization, maintenance has adopted procedures and tools to carry out its work. There is most often, prior to computerization, a manual procedure which allows a maintenance intervention to be carried out. This procedure is more or less extended to all work, including major shutdowns. There is at least one equipment lubrication plan. For certain equipment, an inspection plan is in force. Routine interventions are well known by maintenance personnel. Information describing the equipment is recorded on sorted sheets and stored in appropriate bins. A register groups together the available spare parts. In the best cases, these files and procedures are computerized. Between several factories of the same company, variations exist in the mode of operation of the different maintenance departments and their procedures. Identical spare parts may be stored in two factories of the same group under different names [16].

Subcontracting is regularly used to cover a temporary shortage of staff. The maintenance computerization project is often presented as a means of harmonizing and giving coherence to the different approaches to maintenance management. It then becomes a general framework for the design, definition, support, monitoring and optimization of maintenance strategies and policies.

We will use CMMS to define an operating mode and procedures, computerize them and implement them at the level of each person, cell, group then department, finally factory. We will then seek to make this tool communicate with the company's other computerized tools, so that there is communication and sharing of information and that maintenance is freed up. In particular, some companies expect a rapprochement between maintenance and production in terms of maintenance, inspection and operational monitoring procedures:

- Cover the management of equipment in maintenance and inspection: routine, monitoring, major shutdown, modification management;
- Guarantee technical traceability and regulatory aspects (inspection) by managing maintenance and inspection functions with the same product;
- > Cover the different types of equipment: fixed, rotating, electricity and instrumentation
- Guarantee the traceability of risk analysis and intervention safety measures.

This is the opportunity for a group with several factories to support CMMS with a single product for the group and interfaced with the other site and group IT systems. Underlying this project is the desire to control maintenance costs. But we also expect the mastery and conservation of maintenance know-how (including the subcontracted part).

II. 6.8 CMMS best practices: Are considered "good maintenance practices"

✓ Work management using work orders to ensure perfect traceability of events that occur;

- Preparation as well as planning in advance of the intervention with a view to optimizing the use of all resources;
- ✓ Management of the criticality of equipment, with variation of preventive measures and adjustment of spare parts inventory management parameters for critical equipment;
- ✓ Implementation of procedures to predict the life of the equipment by observing its behavior (predictive or forecast);
- ✓ Optimization of spare parts in conjunction with equipment nomenclatures;
- ✓ Use of equipment history and breakdown analysis;
- ✓ Permanent adjustment of the preventive maintenance program based on observations drawn from history;
- ✓ Performance analysis and maintenance management using a dashboard.

The CMMS will have to provide solutions to maintenance needs that support these best practices. It will be an automated framework which will accommodate certain existing functionalities that are essential or specific to a particular profession, particularly in terms of security, standards or traceability. By using an integrated product, we will replace, strengthen and improve existing functionalities and gradually promote best practices.

#### **II.7 FUNCTIONALITY OF THE CMMS**

All CMMS software packages have in common the same modular structure offering the same functions. But, depending on the software, the functions performed are variously named, variously distributed and variously organized. In this section we present the functional modules common to all CMMS software packages.

#### **II.7.1 Intervention management**

**II.7.1.1 Management of intervention requests:** For the numerous BPT (Small Work Orders), no DT request (Intervention Request) or number allocation, but a rapid recording posteriori of their duration, their location and their nature [17].

It is necessary to create a library of the different useful codes relating to clients, stakeholders, and the different statuses of the intervention. Furthermore, each piece of equipment must correspond to a library of standard codes, relating to the breakdown of the equipment, the triggering effect (often mistakenly called "cause" of shutdown) and the identified cause. An Interface specially adapted and dedicated to intervention requests, it allows any person, with the rights, to report a problem to the technical service. The entry support tools allow you to enter the location, equipment and report to create a request. The request is instantly transmitted to the technical service. A tracking interface

allows the requester to follow their requests and view their progress. The ManageMaint software, or G2IT, allows additional information to be recorded on:

- Desired completion time
- Degree of importance
- Automatic location of selected equipment
- Identification of the applicant

The author of the request is automatically identified. The request is instantly transmitted to the technical service. Monitoring requests for technical interventions.

100										
					Ré	ediger un bon	ı			
	Date at Heure									
on	Date de saisie	He	ure de saisie [	Date d'alerte	Degré d'importa	ince				
				20/12/2009	× .	0	poten			
bons	Recherche Arborescence	e								
	Equipement/Localisation							-		
	Réf. équipement		Réf. équipement	Famille	Nom			Code Site	Usine	
on			CH-02	CHANTIER	Chariot élévateur			Code Bätimen#	Hall U1 COND	
	Famile		CERC1 MAC1	CONDE Electroménager	Cercleuse Machine a café			Code Etage	RDC	
		*	EMB1	CONDE	Enbalieuse			Code Local	Conditionnement	
ons	Nom équipement		CHID1	CONDE	Lindalbuse					
~	Nom equipement	~								
3								Affichage		
5 >>								Choix par code	Q Rech	erche
3 >>					10000		Diff devicement		Rech	erche
s >>		8 alment	Etage		Local	Equipement	Réf. équipement	Choix par code	Rech	erche
>>		Bäliment Hall U1 C			Local Conditionnement	Equipement Emballeuse	Réf. équipement EMB1	Choix par code	Redv	erche
bles	Usine 1		OND RDC		Conditionnement	1.121/21		Choix par code	Q Rech	erche
bles	Usine 1 Intervention Responsabilité	Hall U1 C	OND RDC			1.121/21		Choix par code	Rech	erche
bles	Usine 1 Intervention Responsabilité Technique	Hall U1 C	OND RDC		Conditionnement	1.121/21		Choix par code	Rech	erche
bles	Usine 1 Intervention Responsabilité	Hal U1 C	OND RDC		Conditionnement	1.121/21		Choix par code	<b>Q</b> Redv	erche
bles	Usine 1 Intervention Responsabilité Technique	Hal U1 C	Constat		Conditionnement	1.121/21		Choix par code	<b>Q</b> Redu	erche
bles	Usine 1 Intervention Responsabilité Technique Corps de méties	Hal U1 C	Constat	ement PK3	Conditionnement Commentaire	1.121/21		Choix par code	<b>Q</b> Redu	erche
bles	Usine 1 Intervention Responsabilité Technique Corps de méties Demandeut Service	Hall U1 C	Constat Constat Remplacement rook	ement PK3 Prénom	Conditionnement Commentaire Téléphone	Emballeuse		Choix par code	Q Redu	erche
bles	Usine 1 Intervention Responsabilité Technique Corps de méties Demandeut Service	Hal U1 C	Constat Constat Remplacement rook	ement PK3	Conditionnement Commentaire	1.121/21		Choix par code	Rech	erche
bles	Usine 1 Intervention Responsabilité Tachrisge Corps de méties Demandeur Service Contine Persondeur Rédacteur Rédacteur	Hal U1 C	Constat Constat Remplacement rook	ement PK3 Prénom	Conditionnement Commentaire Téléphone	Emballeuse	EM81	Choix par code	Recv	etche
bles	Usine 1 Intervention Responsabilité Technique Copis de métier Copis de métier Copis de métier Demandece Service Castine Précédenteu Récédenteu Service	Hall U1 C	DND RDC Constat Remplacement tool	ement PK3 Prénom	Conditionnement Commentaire Téléphone 143364574	Emballeuse		Orbis par code     Orbis par nom	Rech	erche

Figure II.5 Management of technical intervention requests

A tracking interface allows the requester and the writer to follow their requests and view their progress. A confirmation by email can be automatically sent to the requester and the writer each time the status of the request changes [18].

**II.7.1.2 Management of technical intervention**: CMMS software packages have a specific interface which allows the technical department to easily view the intervention requests which have just been issued, the preventive vouchers which are generated automatically, but also the vouchers linked to company maintenance contracts exterior. Thanks to this interface, maintenance agents can connect and consult precisely the vouchers assigned to them or all of the vouchers. Alerts are automatically triggered when a voucher has not been processed within the expected time frame.




Figure II.6 Management of technical interventions

**II.7.2 Equipment management:** CMMS allows you to inventory all of your structure's equipment and locate it geographically. You will be able to manage sets and sub-sets of equipment without limiting the number of levels. G2IT allows you to associate one or more item lists with one or more pieces of equipment simultaneously. Equipment prevention is done in the "Preventive" function. Equipment is associated with one or more meters. These counters trigger alerts which can directly generate an intervention. Each piece of equipment can be associated with as many documents as you wish. G2IT allows you to manage any type of document format: Word, Excel, Powerpoint, photo, video DXF, DWG, etc.

Thus a technician can easily access a maintenance range or a user manual or even the electrical diagram of an installation, etc. It is :

- 4 Describe and code the tree structure of the entire park to be maintained.
- 4 Identify and characterize by DTE (Technical Equipment File) and history.
- **4** Functional division.

This will allow:

**1.** Locate and identify a subset in the tree structure.

- 2. Know the functional criticality index of the equipment.
- 3. Quickly access the equipment maintenance plan.
- 4. Direct access to technical, historical and commercial characteristics from DTEs.

The technician can easily access a maintenance range or a user manual or even the electrical diagram of an installation, etc. Figure II.7 is a screenshot of the G2IT software in the equipment module

A	Équipements											
on	Nouveau	Appliquer	X Supprimer	Préventif	Intervention	Bons en cours						
	Recherche	4			Î -Î	Afficher/Masquer	des colonnes 💌			-		3
6	Réf. équipement	7 Famille	Nom équipement	Marque	Fournisseur	N° Série	Date d'achat	Fin de maintenance	Inventair 🙍			8
	ECO G 12	ECOGRAPHE	Ecographe ACUSON 2200	ACUSON	CARD	53893552	22/10/2008			100		
	CLM9	FROID	Climatiseur	HITACHE	CARD	6544332	08/07/2007			1		
	CLM7	FROID	Climatiseur	HITACHE	FEN	6544331	07/07/2007					
	CLM5	FROID	Climatiseur	HITACHE	EN AG	6544330	06/07/2007	02/11/2005				
	CLM4	FROID	Climatiseur	HITACHE	SDER	6544329	05/07/2007			100		
	CLM3	FROID	Climatiseur	HITACHE	GJ 5A	6544328	04/07/2007					_
1	CLM23	FROID	Climatiseur	HITACHE	GJ SA	7328763852	03/07/2007		1	Photos\climatisateur.	10 Q	2
	CLM21	FROID	Climatiseur	HITACHE	LEROY	150533045	82/07/2007			Réf. égupement	CLM19	
	CLM2	FROID	Climatiseur	HITACHI	EN AG	1404949019	20/09/2001	28/10/2005		131 - 23	FROED	
	CLM19	FROID	Climatiseur	HITACHI	RM AG	1304567595	19/09/2001	27/10/2005	9876875	Famile		×
2	CLM17	FROID	Climatiseur	HITACHE	ATRJ	1204186151	18/09/2001	26/10/2005		Nom équipement.	Climatiseur	
	CLM15	FROID	Climatiseur	HITACHE	SDER	1103804717	17/09/2001	25/10/2005		Marque	HITACHI	~
	CLM13	FROID	Climatiseur	HITACHE	REVISA	100342328	06/12/2006	18/09/2009		Fournisseur	RM AG	*
	CLM11	FROID	Climatiseur	HITACHE	LEROY	903041849	15/11/2007			Nº Série	1304567585	
	CLM1	FROID	Climatiseur	HITACHE	RMAG	903041049		25/10/2005		Date d'achat	19/09/2001	
	CLM1	FROID	Climatiseur 50 M3	HITACHE	CARD	702278981	13/03/2008	25/10/2005		Fin de maintenance	27/10/2005	×
	CHON	CHANTIER	Chariot élévateur	FENWICK	SDER	601897547	23/08/2007		-	Inventaire	9876875	~
	CHOI	CHANTLER	Charics elevateur	PENNICE	AIRS	501516117	22/08/2007	200212009		15	Technique	~
	CERCI	CONDE	Cerdeuse	ROSI	FEN	401134679	12/06/2007	And only some		Responsabilité		
	2	CONDE	Cerobuse	Proces.	1.04	1011010/1	seven se			Code barre	2343445465476	
										Localisation		
	Compteurs			• •	Documents liés				• -	Site	Mairie 1	~
	Libelié Un	ité Valeur relev	vée Date	Valeur d'aleri	Nom /	Chemin			~	Båtimerit	Ecole ML	*
	Fikre H	167889	20/12/2009	150000	Manuel d'utilisation	Doc_Lies/M	enuel d'utilisation.pdf			Etage	RDC	1.21
				1.1	Equipements	C:\BaseG2I	TI/BD_G21TI/Equipement	nits.xls		ecage	RDS.	~
					schéma électrique	C:\BaseG2I	TI/BD_G2ITI/Doc_Lies);	schéma électrique.DW	ig 🗀	Local	Bur2	~

Figure II.7 Equipment management using G2IT software

# **II.7.3 Preventive management**

The management of preventive technical interventions allows agents to have a predefined intervention schedule [19]. It is an essential function of the CMMS which must be easy to use and accessible to all, it allows you to:

- > The creation of preventive programs.
- > The association of several pieces of equipment to a program.
- > The program triggers a certain number of days before the due date.
- > The overall or partial modification of a preventive program.
- To display a summary schedule of preventive programs, trigger dates and intervention dates.




Figure II.8 Preventive management using G2IT

**II.7.4 Human Resource Management:** Personnel management refers to the definition of their skills, their available resources, their attendance times and these related activities. Directly from their personal file, the user can know their workload and know the progress of their requests, their orders or even their planned work.

#### **II.7.5 Inventory management:**

This module makes it possible to optimize the relationship with suppliers and subcontractors while reducing purchasing costs and delays associated with the maintenance process with the aim of guaranteeing the availability of parts.




Figure II.9 Inventory management in a CMMS

Computerized Maintenance Management Systems

**II.7.6 Schedule management:** Our CMMS integrates a planning module or software (GIP) which allows the user to easily view the technical interventions assigned to agents and equipment in an OUTLOOK type interface. You will be able to select several agents to compare their workload. The interventions assigned to the agents can be moved graphically. You can also select a piece of equipment or a family of equipment to consult the associated preventive or curative maintenance. It also allows you to edit maintenance indices such as MTBF, MTTR, TRS, gross operating rate, etc.




Figure II.10Management of schedules using G2IT

# **II.8 CMMS USERS:**

The CMMS is used by technicians, production and maintenance operators and the purchasing department (excluding raw materials).

# II.8.1 Maintenance technicians: as

- Preparation of work, reports
- Finding technical information
- Running diagnostics, viewing history

# **II.8.2 Responsible for maintenance:** as

- Cost control and monitoring.
- Checking invoices and sending them to accounting

# II.8.3 Warehouse workers: as

- Receipt of materials and their management
- Identification of requests in advance and their preparation
- Stock management
- Inventories Checking invoices and sending them to accounting

# II.8.4 Managers: as

- Tracking costs per machine, production line, installations
- Performance monitoring, load optimization
- Participation in the activity dashboard Control of invoices and their sending to accounting

# **II.9 EVALUATION OF CMMS SOFTWARE**

The objective here is to have a match between CMMS software and the needs of a company.

For this we evoke the following grid

	Performance level								
Functions	1 Low	2 Medium	3 Good	4 Very Good	5 Excellent				
Manage preventive and	Census of	Establishment of	Development of an	Incident	Implementation of				
conditional work	preventive works	preventive	adjustable preventive	tracking	condition-based				
		maintenance sheets	plan		maintenance				
Ensure technical	Calendar history of	Calendar history by	Malfunction analysis	History of	Monitoring and				
monitoring of	work	type of maintenance		units of work	analysis of				
equipment					equipment				
					availability				
Manage personal	Resource List	Managing resource	Resource availability	Resource	Quantification				
resources, tools, etc.		usage	management	allocation	management				
				management					
Monitor the activity of	In-store budget	Monitoring of	Analytical	Maintenance	Activity tables,				
the maintenance	monitoring	internal invoicing	monitoring of	service	function,				
department			expenses by other	operating	expenditure				
			equipment	account					
Manage spares stocks	Maintaining stock	Permanent stock	Reservation and	Inventory	Inventory				
and purchases	in store	inventory and parts	restocking	management	management and				
		list			purchasing tracking				

#### **II.10 CONCLUSION**

Computer-aided maintenance management (CMMS) is a crucial element that governs the economic value of the organization itself. Maintenance management describes the practice of leading and transforming the organization through the deployment and management of available resources such as financial, human, material, skill and technological resources. Therefore, maintenance management should be emphasized by all means of planning, direction, implementation and control as well as several improvement methods to achieve the economic aspects of the organization [20]

The cost of maintenance is increasing due to rapidly changing maintenance strategies and resources, forcing the organization to consider proactive maintenance management to deal with maintenance issues, not just to save money. Maintenance management is a crucial element that governs the economic value of the organization itself. Maintenance management describes the practice of leading and transforming the organization through the deployment and management of available resources such as financial, human, material, skill and technological resources. All management activities determine the objectives and priorities set by the organization, including strategies, responsibilities and implementation. Therefore, maintenance management should be emphasized by all means of planning, direction, implementation and control as well as several improvement methods to achieve the economic aspects of the organization.