



TABLEAU DE DERRAILLAGE

Désignation	a	b	$A_x$	$A_y$
$S_1$	0.80	0.80	$\begin{array}{c} 5 \quad 0.75 \quad 5 \\ \diagdown \quad \diagup \\ 6T12 / 15 \text{ Cm} \\ L=85 \end{array}$	$\begin{array}{c} 5 \quad 0.75 \quad 5 \\ \diagdown \quad \diagup \\ 6T12 / 15 \text{ Cm} \\ L=85 \end{array}$
$S_2$	0.90	0.90	$\begin{array}{c} 5 \quad 0.85 \quad 5 \\ \diagdown \quad \diagup \\ 7T12 / 15 \text{ Cm} \\ L=95 \end{array}$	$\begin{array}{c} 5 \quad 0.85 \quad 5 \\ \diagdown \quad \diagup \\ 7T12 / 15 \text{ Cm} \\ L=95 \end{array}$
$S_3$	1.00	1.00	$\begin{array}{c} 5 \quad 0.95 \quad 5 \\ \diagdown \quad \diagup \\ 8T12 / 15 \text{ Cm} \\ L=95 \end{array}$	$\begin{array}{c} 5 \quad 0.95 \quad 5 \\ \diagdown \quad \diagup \\ 8T12 / 15 \text{ Cm} \\ L=95 \end{array}$